

An Efficient Web Image Re-Ranking using Query Specific Semantic Signatures

Prakash R. Gadekar^{#1}, JayshriKokare^{*2}, Subhash V. Pingale^{#3}

M.E(Computer), Assistant Professor, Department of Computer Science Engineering, SKN Sinhgad College of Engineering, Korti, Pandharpur, Solapur University, Solapur^{1,3}.

M.E (Computer), Department of Computer Science Engineering, SKN Sinhgad College of Engineering, Korti, Pandharpur, Solapur University, Solapur²

¹gadekar.prakash@gmail.com

²jayshrikokare9@gmail.com

³sub.pingale83@gmail.com

Abstract—Image re-ranking, as an operative way to progress the results of web based image search. The proposed work has been accepted by present commercial search engines. The query-specific semantic signature is also striking in this application, where it is key to reduce the semantic gap when computing the similarities of images. With the reason of the ambiguity of query keywords, there may be more than one semantic categories under only keyword query. Therefore, as these approaches cannot exactly capture users' search intention without query images selected by users, the visual features of images are predictable into their related visual semantic spaces to get their semantic signatures. The resultant system will provide the results to user as close as to the query image. The proposed work will improve the efficiency of the image re-ranking.

Keywords— Query keyword, Keyword Expansion, Query image, Image Search, Image Re-Ranking.

I. INTRODUCTION

Information concerning final paper submission is offered from the conference web site. Image searching is the process of finding relevant images on web search engines. A massive database has been maintained to store and retrieve images at server side. Image re-ranking, is an effective approach to improve the results of web-based image search. It plays a vital role in day today life. The searching of images on web is mostly depends on the distant and surrounding text of the image. It is not always possible or in other words sometimes it is difficult to understand the user intention only by query keywords and this leads to irrelevant images with relevant one as a search results. Now a day it has been used by many search engines. User gives a query keyword, a pool of images square measure 1st retrieved by the search engine supported matter data. Then the user has to select question image from the pool. The remaining images square measure re-ranked based mostly on their visual similarities with the question image. It is inefficient and troublesome to learn a universal visual semantic area which characterize extremely various pictures from web.

II. LITERATURE REVIEW

A. “WEB IMAGE RE-RANKING USING QUERY-SPECIFIC SEMANTIC SIGNATURES

Xiaogang Wang, Ke Liu et.al, presents the image re-ranking with the semantic signatures. Re-ranking is done on the basis of SVM classifiers. The K-means The re-algorithm is also used to for removing the images which may occurs as the outlier images, leads to the irrelevant results to the user.

B. “ACTIVE RE-RANKING FOR WEB IMAGE SEARCH

Xinmei Tian, Dacheng Tao, states thatthe active re-ranking is highly demanded to improve searching performance. Usually the image search re-ranking methods gets failsor get flopto capture the user's intention on the query term is ambiguous. To target the user's purpose to decrease the user's labeling efforts the author presents a structural information based sample selection strategy. Toward decreasing labelling efforts, use an active sample selection strategy and a dimension reduction algorithm. For learning the visual characteristics uses a new local-global discriminative dimension reduction algorithm learned which handovers the local information in the domain of the labelled images domain to the whole image database [2].

C. “Real time Google and live image search re-ranking”

J.Cui, F. Wen, proposes to use adaptive visual similarity to re-rank the text based search results. A requested image by user is first categorized into one of several predefined intention groups, and to combine image features for re-ranking based on the requested image, a specific similarity measure is used inside each category. It is quite effective way to intensely improve the user experience. A real times image search engine is developed for on-line image search with re-ranking. To rise up and for better search result accomplished by user of Google image Search a real time re-ranking algorithm is used. It states eight predefined categories for grouping and assigned a different feature weighting scheme to lidding a huge variety of image [3].

D. Intent Search: Capturing User Intention for One-Click Internet Image Search

X. Tang, K.Liu, J. Cui, stated that a combination of query-by-visual-example and semantic retrieval, is denoted as query-by-semantic-example. Images are labelled with respect to a vocabulary of visual perceptions, as is usual in Semantic Retrieval. Each image is then characterized by a vector, referred to as a semantic multinomial, of posterior concept probabilities. Retrieval is based on the query-by-example paradigm: the user provides a query image, for which a semantic multinomial is computed and matched to those in the database. QBSE produces retrieval systems that are more precise than what was formerly possible [4].

E. “Relevance feedback: a power tool for interactive Content-based image retrieval

Y. Rui, T. S. Huang, M. Ortega, provides a solution as a human Computer Interaction approach to CBIR based on relevance feedback. Relevance Feedback (RF) techniques are used to adjust the query by user’s feedback. RF is an interactive process to improve the retrieval accuracy by a few iterations. RF algorithms are dependent on feature representations. This approach greatly reduces the user’s effort of composing a query and captures the user’s information need more precisely. This system will work based on the information gathered from user’s feedback. For the same the assumption was made as by user is consistent. Based on the feedback information, the system will either allocate or adjust the weights. With the same things the system will expect user’s more efforts to select multiple relevant and irrelevant examples. [5].

III. PROPOSED SYSTEM

The system has an architecture as follows shown in figure 1.1




Fig.1. System Architecture

The User have a query keyword. The system takes the keyword as an input. The keyword expansion will be done. The result will be shown to the user as images retrieved by the expanded keyword. Consider as an example lotus is a query keyword. The lotus car, lotus pose, lotus flower is the

expansion of the query keyword. Query specific reference classes are done by the k-means algorithm. The pool of images as first result by the system is shown to the user. The task for user is to select a single image from the pool of images. This will be accepted by the system and will do the similarity checking according to the visual features of the selected image by the user. We are going to calculate total 66 features for each individual image. The system will calculate the features of the image selected by the user. The Euclidean distance is calculated and comparison is done. Formula for calculating the Euclidean distance is as,

$$d(\mathbf{p}, \mathbf{q}) = d(\mathbf{q}, \mathbf{p}) = \sqrt{(q_1 - p_1)^2 + (q_2 - p_2)^2 + \dots + (q_n - p_n)^2}$$

$$= \sqrt{\sum_{i=1}^n (q_i - p_i)^2}$$

Depending on these calculations cluster of the particular image is provided to user as a result by applying the re-ranking on the same. We can define the feature set as, to catch a certain visual belongings of an image, either globally for the complete image or locally for a slight group of pixels. In our project we are considering the colour, texture, shape features.

For crawling domain name is the input to the system. The system will then crawl the images from the entered URL. The system will store the images with the tags. Then the feature extraction is done and display the results to the user when it is offline also. The feature is useful to extend the database.




Fig.3. Screenshot showing graph of input and output image.




Fig.4. Screenshot showing user can addtag and description for an image.




Fig.5. Screenshot showing the result for Image Based searching.




Fig.6. Screenshot showing image upload feature by admin.




Fig.7. Comparative analysis.

IV. CONTRIBUTION WORK

The system has two types of users. First one is target audience i.e. general user and second one is admin of the application. The concept of crawling is implemented for strengthening the images dataset. The URL of the page containing images will be given as input to the application by admin. The system crawls all the images present on the page and calculates features for them. The images and the calculated features are stored in the database. Thus a strong image dataset is generated with the use of crawling.

For the user, if user thinks that he has an additional information related to searched image, the user is allowed to add the additional information for the target image. Instead of directly save the that description with the particular image it will pass the that to the admin. The admin has the authority for saving the description of that image after validation.

V. CONCLUSIONS

A new image re-ranking framework, which learns query-specific linguistics areas to considerably improve the effectiveness and potency of on-line image re-ranking is projected in this paper. The visual features of pictures area unit projected into their connected visual linguistics areas mechanically learned through keyword expansions at the offline stage. The existing methods linked for web image re-ranking, we point out that these methods are not powerful enough to retrieve images efficiently by its including semantic concepts. In our project image re-ranking framework overcomes the shortcomings of previous strategies by reducing the ambiguity covered in previous methods, and improves the result. The feedback of humans is reduced by integrating visual and matter similarities that area unit compared for additional economical image re-ranking. User has only to do one click on image, based on that re-ranking is completed.

REFERENCES

- [1] Xiaogang Wang, Ke Liu et.al, Web Image Re-Ranking Using Query-Specific Semantic Signatures, IEEE Transactions on Pattern Analysis and Machine Intelligence Volume: 36, Issue: 4 April 2014.
- [2] Xinmei Tian, Dacheng Tao et.al, Active Re-ranking for Web Image Search, IEEE Transactions on Image Processing, Vol. 19, No. 3, March 2010.
- [3] J.Cui, F. Wen, et.al, Real time Google and live image search re-ranking, The 16th ACM international conference on Multimedia, Pages 729-732, 2008.
- [4] X. Tang, K.Liu, J. Cui, et.a, IntentSearch: Capturing User Intention for One-Click Internet Image Search, IEEE Transactions On Pattern Analysis and Machine Intelligence Vol. 34, No.7 pages 1342 – 1353, July 2012.
- [5] Y. Rui, T. S. Huang, M. Ortega, et.al, Relevance feedback: a power tool for interactive Content-based image retrieval, IEEE Transactions On Circuits and Systems for Video Technology, 1998.
- [6] N. Rasiwasia, P. J. Moreno, et.al, Bridging the gap: Query by semantic example, IEEE Transactions. On Multimedia, vol. 9, no. 5, pages.923 -938, August 2007.
- [7] Xin Jin, Jiebo Luo, Jie Yu et. al, Reinforce Similarity Integration In Image Rich Information Network, IEEE Transactions on Knowledge & Data Engineering ,vol.25, Issue No.02, Feb 2013.
- [8] E. Bart and S. Ullman. Single-example learning of novel classes using representation by similarity. In Proc. BMVC, 2005.
- [9] D. Tao, X. Tang, X. Li, and X. Wu., Asymmetric bagging and random subspace for support vector machines-based relevance feedback in image retrieval, IEEE Trans. on Pattern Analysis and Machine Intelligence, 2006.
- [10] A.W.M. Smeulders, M. Worring, S. Santini, et. al, Content-Based Image Retrieval, IEEE Trans. Pattern Analysis and Machine Intelligence, vol. 22, no. 12, pp. 1349-1380, Dec. 2000.
- [11] Ritendra Datta, Dhiraj Joshi, et.al, Image Retrieval: Ideas, Influences, and Trends of the New Age, ACM Computing Surveys, Vol. 40, No. 2, Article 5, April 2008.